



Entrez PubMed Nucleotide Protein Genome Structure PMC Taxonomy Boo

Search for

Display Limits Show: Preview/Index History Clipboard Details

1: NM_015259. Homo sapiens B7-l...[gi:27477038]

Links

LOCUS NM_015259 1572 bp mRNA linear PRI 05-OCT-2003

DEFINITION Homo sapiens B7-like protein (B7H2), mRNA.

ACCESSION NM_015259

VERSION NM_015259.1 GI:27477038

KEYWORDS

SOURCE Homo sapiens (human)

ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE 1 (bases 1 to 1572)

AUTHORS Chen,X.L., Cao,X.D., Kang,A.J., Wang,K.M., Su,B.S. and Wang,Y.L.

TITLE In situ expression and significance of B7 costimulatory molecules within tissues of human gastric carcinoma

JOURNAL World J. Gastroenterol. 9 (6), 1370-1373 (2003)

MEDLINE 22685067

PUBMED 12800259

REMARK GeneRIF: ICOS-B7H costimulatory pathway may be involved in the negative regulation of cell-mediated immune responses.

REFERENCE 2 (bases 1 to 1572)

AUTHORS Kurosawa,S., Myers,A.C., Chen,L., Wang,S., Ni,J., Plitt,J.R., Heller,N.M., Bochner,B.S. and Schleimer,R.P.

TITLE Expression of the costimulatory molecule B7-H2 (inducible costimulator ligand) by human airway epithelial cells

JOURNAL Am. J. Respir. Cell Mol. Biol. 28 (5), 563-573 (2003)

MEDLINE 22591932

PUBMED 12707012

REMARK GeneRIF: These results demonstrate that airway epithelial cells express the costimulatory molecule B7-H2, and suggest the possibility that B7-H2 may participate in antigen presentation by epithelial cells.

REFERENCE 3 (bases 1 to 1572)

AUTHORS Akbari,O., Freeman,G.J., Meyer,E.H., Greenfield,E.A., Chang,T.T., Sharpe,A.H., Berry,G., DeKruyff,R.H. and Umetsu,D.T.

TITLE Antigen-specific regulatory T cells develop via the ICOS-ICOS-ligand pathway and inhibit allergen-induced airway hyperreactivity

JOURNAL Nat. Med. 8 (9), 1024-1032 (2002)

MEDLINE 22194852

PUBMED 12145647

REFERENCE 4 (bases 1 to 1572)

AUTHORS Flesch,I.E.

TITLE Inducible costimulator-ligand (ICOS-L)

JOURNAL J. Biol. Regul. Homeost. Agents 16 (3), 217-219 (2002)

MEDLINE 22343420

PUBMED 12456022

REMARK GeneRIF: ICOS-L is a ligand for ICOS and plays an important functional role in the activation of memory T cells by endothelial

Figure 1 (1 of 4)

REFERENCE 5 (bases 1 to 1572)
AUTHORS Khayyamian,S., Hutloff,A., Buchner,K., Grafe,M., Henn,V.,
Kroccek,R.A. and Mages,H.W.
TITLE ICOS-ligand, expressed on human endothelial cells, costimulates Th1
and Th2 cytokine secretion by memory CD4+ T cells
JOURNAL Proc. Natl. Acad. Sci. U.S.A. 99 (9), 6198-6203 (2002)
MEDLINE 21980676
PUBMED 11983910

REFERENCE 6 (bases 1 to 1572)
AUTHORS Sperling,A.I. and Bluestone,J.A.
TITLE ICOS costimulation: It's not just for TH2 cells anymore
JOURNAL Nat. Immunol. 2 (7), 573-574 (2001)
MEDLINE 21322735
PUBMED 11429535

REFERENCE 7 (bases 1 to 1572)
AUTHORS Wang,S., Zhu,G., Chapoval,A.I., Dong,H., Tamada,K., Ni,J. and
Chen,L.
TITLE Costimulation of T cells by B7-H2, a B7-like molecule that binds
ICOS
JOURNAL Blood 96 (8), 2808-2813 (2000)
MEDLINE 20477846
PUBMED 11023515

REFERENCE 8 (bases 1 to 1572)
AUTHORS Yoshinaga,S.K., Zhang,M., Pistillo,J., Horan,T., Khare,S.D.,
Miner,K., Sonnenberg,M., Boone,T., Brankow,D., Dai,T., Delaney,J.,
Han,H., Hui,A., Kohno,T., Manoukian,R., Whoriskey,J.S. and
Coccia,M.A.
TITLE Characterization of a new human B7-related protein: B7RP-1 is the
ligand to the co-stimulatory protein ICOS
JOURNAL Int. Immunol. 12 (10), 1439-1447 (2000)
MEDLINE 20465019
PUBMED 11007762

REFERENCE 9 (bases 1 to 1572)
AUTHORS Ling,V., Wu,P.W., Finnerty,H.F., Bean,K.M., Spaulding,V.,
Fouser,L.A., Leonard,J.P., Hunter,S.E., Zollner,R., Thomas,J.L.,
Miyashiro,J.S., Jacobs,K.A. and Collins,M.
TITLE Cutting edge: identification of GL50, a novel B7-like protein that
functionally binds to ICOS receptor
JOURNAL J. Immunol. 164 (4), 1653-1657 (2000)
MEDLINE 20126021
PUBMED 10657606

COMMENT PROVISIONAL REFSEQ: This record has not yet been subject to final
NCBI review. The reference sequence was derived from AF289028.1.

FEATURES
source Location/Qualifiers
1..1572
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/chromosome="21"
/map="21q22.3"
gene 1..1572
/gene="B7H2"
/note="synonyms: GL50, B7-H2, B7RP1, ICOSL, LICOS, B7RP-1,
KIAA0653"
/db_xref="GeneID:23308"
/db_xref="LocusID:23308"
/db_xref="MIM:605717"
CDS 125..1033
/gene="B7H2"

Figure 1 (2 of 4)

```

<!-->
<!-- Component: integral to membrane [goid 0016021]
[evidence NAS] [pmid 12145647];
go_function: defense/immunity protein activity [goid
0003793] [evidence NAS] [pmid 12145647];
go_function: receptor binding [goid 0005102] [evidence
TAS] [pmid 11429535];
go_process: immune response [goid 0006955] [evidence IEA];
go_process: signal transduction [goid 0007165] [evidence
NAS] [pmid 12145647];
go_process: T-cell activation [goid 0042110] [evidence
NAS] [pmid 11983910];
go_process: B-cell activation [goid 0042113] [evidence
IEA];
go_process: positive regulation of activated T-cell
proliferation [goid 0042104] [evidence TAS] [pmid
11429535]"
/codon_start=1
/product="transmembrane protein B7-H2 ICOS ligand"
/protein_id="NP_056074.1"
/db_xref="GI:27477039"
/db_xref="GeneID:23308"
/db_xref="LocusID:23308"
/db_xref="MIM:605717"
/translation="MRLGSPGLLFLFSSLRADTQEKEVRAMVGSDELSCACPEGSR
FDLNDVYVYWTSESKTVVYTHIPQNSSLENVDSRYRNRLMSPAGMLRGDFSLRLFN
VTPQDEQKFHCLVLSQSLGFQEVLSVEVTLHVAANFSVPVVSAPHSPSQDELFTFTCTS
INGYPRPNVYWINKTDNSLLDQALQNDTVFLNMRGLYDVVSVLRIARTPSVNIGCCIE
NVLLQQNLTVGSQTGNDIGERDKITENPVSTGEKNAATWSILAVLCLLVVVAIGAIV
CRDRCLQHSYAGAWAVSPETELTGHV"
misc_feature
218..469
/gene="B7H2"
/note="IGV; Region: Immunoglobulin V-Type"
/db_xref="CDD:smart00406"
variation
785
/gene="B7H2"
/allele="T"
/allele="C"
/db_xref="dbSNP:1062857"
variation
811
/gene="B7H2"
/allele="T"
/allele="C"
/db_xref="dbSNP:1139814"
variation
complement(1462)
/allele="G"
/allele="C"
/db_xref="dbSNP:3804033"

```

ORIGIN

```

1 gagtagagcc gatctccgc gcccgaggt tgctcctctc cgaggtctcc cgcggcccaa
61 gttctccgcg ccccgaggtc tccgcgcccc gaggtctccg cgcggcgagg tctccgcccc
121 caccatgcgg ctgggcagtc ctggactgct cttcctgctc ttcagcagcc ttcgagctga
181 tactcaggag aaggaagtca gagcgatggt aggcagcgac gtggagctca gctgcgcttg
241 ccctgaagga agccgttttg atttaaataga tgtttacgta tattggcaaa ccagtgaatc
301 gaaaaccgtg gtgacctacc acatcccaca gaacagctcc ttggaaaacg tggacagccg
361 ctaccggaac cgagccctga tgtcaccggc cggcatgctg cggggcgact tctccctgcg
421 cttgttcaac gtcaccccc aggacgagca gaagtttcac tgcctggtgt tgagccaatc
481 cctgggattc caggagggtt tgagcggtga ggttacactg catgtggcag caaacttcag
541 cgtgcccgtc gtcagcgccc cccacagccc ctcccaggat gagctcacct tcacgtgtac
601 atccataaac ggctacccca ggcccaacgt gtactggatc aataagacgg acaacagcct
661 gctggaccag gctctgcaga atgacaccgt cttcttgaa atgcggggct tgtatgacgt

```

Figure 1 (3 of 4)

721 ggtcagcgtg ctgaggatcg cacggacccc cagcgtgaac attggctgct gcatagagaa
781 cgtgcttctg cagcagaacc tgactgtcgg cagccagaca ggaaatgaca tcggagagag
841 agacaagatc acagagaatc cagtcagtac cggcgagaaa aacgcggcca cgtggagcat
901 cctggctgtc ctgtgcctgc ttgtggctgt ggcgggtggc ataggctggg tgtgcagggg
961 ccgatgcctc caacacagct atgcagggtg ctgggctgtg agtccggaga cagagctcac
1021 tggccacgtt tgaccggagc tcaccgcca gagcgtggac agggcttcca tgagacgcca
1081 ccgtgagagg ccaggtggca gcttgagcat ggactccag actgcagggg agcacttggg
1141 gcagcccca gaaggaccac tgctggatcc caggagaa ctgctggcgt tggctgtgat
1201 cctggaatga ggccctttca aaagcgtcat ccacaccaa ggcaaagtgc cccaagttag
1261 tgggctcccc gctgtcactg ccagtcaccc acaggaaggg actggtgatg ggctgtctct
1321 acccggagcg tgcgggattc agcaccaggc tcttcccag t accccagacc cactgtgggt
1381 cttcccgtgg gatgcgggat cctgagaccg aagggtgtt t ggtttaaaaa gaagactggg
1441 cgtccgctct tccaggacgg cctctgtgt gctggggtca cgcgaggctg tttgcagggg
1501 acacggtcac aggagctctt ctgccctgaa cgcttccaa ctgctccggc cggagccac
1561 aggaccact ca

Disclaimer | Write to the Help Desk
NCBI | NLM | NIH

Figure 1 (4 of 4)